


HAZE MACHINE & FOG MACHINE

PG-400


The PG-400 Pro-Silk is a professional mist producer. It provides a light constant mist to enhance light beams. The silk comes with a high quality air compressor instead of the heater and temperature control; so, there is no more problems that you have met in the traditional fog machine.



- Features:
- Fine & long-hanging haze
 - More powerful compressor for a bigger volume
 - Leave no oil residue
 - Special designed tank to protect from liquid spill out
 - Low oil consumption (1 Liter for 48 HRS)
 - No need warm up, instant operation
 - Buil-In fan

PG-500

The PG-500 Pro-Silk is a professional mist producer. It provides a light constant mist to enhance light beams. No more problems that you have met in the traditional fog machines. PG-500 Pro-Silk comes with flight case for keeping noise-free performance and safety transportation. Designed for theatre, T.V. studios and live show....



- Features:
- Fine & long-hanging haze
 - Leave no oil residue
 - Built-In fan
 - No need warm up, instant operation
 - Powerful compressor for a bigger volume
 - Portable and compact size
 - With flight case for keeping noise-free performance
 - 1 Liter liquid for 28Hrs

OPTIONAL ACCESSORIES

1. LIQUID

HZL-1 OIL BASE

It is a non-toxic solution that produces a pure translucent haze with an long hang time and low moisture content

HZL-1W WATER BASE

Both are 1 Liter for haze machine and comply with the strictest health and safety regulations

2. HCR-1 WIRELESS REMOTE CONTROLLER

Cable Length: wireless, up to 50 M
Connector: 1/4 stereo

3. HC-1 TIMEMER CONTROLLER

It is a special designed optional accessory for PG-400 haze machine.
It can control the haze output at intervals of 10-300 seconds with duration of 10-120 seconds

Cable Length: 25 ft.

Connector: 1/4 Stereo

Function: Timer with interval and Duration; Manual ON/OFF

Compatible with: PG-400 / PG-500



FogMate is Kupo's latest contribution to the field of special effect. This miniature fog generator is driven by compact rechargeable DC12V battery and equipped with built-in microprocessor to control and present all the functions. With its light weight and small dimension advantages, FogMate can be set promptly and flexibly where fog is needed. FogMate is an ideal alternative to the traditional fog machines for the locations of theatre, TV, film and photographic studio.



D-5000III

Features:

Power output: 70W

Voltage: 12V battery

Warm up: 1 second

Tank Capacity: 110ml

Fluid consumption: 2ML/ min.


Continuous output: 10min.

Weight of unit: 900g

Weight of battery: 680g

Dimension: 226 (L) x 68 (H) x 113 (W) mm

Standard Package:
D-500III FogMate Unit
DC12V battery
100V to 240V AC
12V DC charger
Fluid tank
500ml fluid
Portable case



DMX-4FD DMX Converter



FC-2D Timer



Optional Accessories

FC-3D Remote Controller
120V/230V AC 12V DC transformer with dummy battery, DB-12, available

M-5 Fog Machine

The features of M-5 is its tough and powerful output and added DMX control on-board. User can have completely control of his/ her fog machine to create a totally extreme club atmosphere.

Power: AC120V/ 60Hz, 230V/50Hz

Heater: 1,500W

Output: 20,000 cubic ft/min.

Tank Capacity: 10 liter

Remote included: Z-20 (timer)

Optional remotes; Z-30 (wireless)

Weight: 15 KG

Dimension: 659(L) x 319(W) x 170(H) mm



DNG-100

It produces a low-lying smoke whose effect is virtually indistinguishable from that created by dry ice when connected with any fog machine. It converts normal fog from any fog machine into a floor-hugging cloud of dense, white fog, by cooling the temperature of a fog to a point where it falls to the ground. The operation is simple, plug the unit in and place the fog conducting hose from the output of any fog machine to the input of it. The volume level is controlled by the fog machine that DNG-100 is attached to. The ground fog can be sent to anywhere within 10M of the DNG-100 output nozzle when it is with the addition of a second fog conducting hose.

Power: AC100V/120V/230V/240V, 50-60Hz

Power Consumption: 750W

Weight: 72 KG

Dimension: 750(L) x 607(W) x 390(H) mm



Optional Accessories

1. WIRELESS REMOTE CONTROL

Z-30 RADIO WIRELESS REMOTE CONTROL

Cable Length: 2M

Wireless range: up to 50M

Connector: 5 pin XLR

Radio Freqent Add: 0-8

Accessory for M-5



2. TIME CONTROLLER

Z-20

Timer with interval, duration and Volume;

continuous fogging;

Manual on/off

Cable lenght: 8m

Connector: 5 PIN XLR

Accessory for M-5



3. LIQUID

FL-104

Light fog liquid for fast dissipation (4L)

FL-204

Light fog liquid for long lasting (4L)





BM-200 BIG BUBBLE MACHINE

is a high output bubble machine. Four double wheels generates a massive, torrent of bubbles and three fans at the back of the unit spread the heat

bubbles far and wide. It contains DMX on board. It also can be operated alone or with optional timer and wireless remote controls.

Optional Remotes: BCR-1 (wireless), BCT-1 (timer)
 Dimension: 425(L) x 250(W) x 197(H) mm
 Power Cons.: 100W
 Fluid Cons.: 20mins/ L
 Weight: 11.5 KG
 Power: AC 120/240V, 50-60Hz



BM-0800 SUPER BUBBLE MACHINE

is designed to produce a solid, copious stream of bubbles. It can be operated continuously. Easy refills and its hanging bracket are its benefits.

BM-0800X

is the same as BM-0800 except it contains a control board allowing the bubble machine to use the wireless and timer remote controls.

Optional Remotes: BCR-1/ BCT-1 (BM-0800X)
 Dimension: 341(L) x 170(W) x 172(H) mm
 Power Cons.: 25W
 Tank Capacity: 0.7L
 Fluid Cons.: 2HRS/ L
 Weight: 4.2 KG
 Power: AC 120/230V, 50-60Hz

Optional Accessories



Bubble Liquid

It is designed for use in the BM-0800/ 0800X bubble machines, water based composition that creates vivid transparent bubbles, colorless, odorless and non-flammable

BL-1 bubble liquid (1L)
BL-5 bubble liquid (5L)

Snow Liquid

FL-203 snow juice designed for S-200 snow machine, water based formula (safe), non-toxic and 100% biodegradable



DMX-2F

is the converter for S-200 snow machine with two channels to control power and volume

The powerful big output S-200 can make an abundant supply of snow and shoot at considerable distance. The motor is attached with a rubber cushion that reduces vibration and noise, generating only 63dB that is as loud as people whisper lightly. Size & output volume of it can be regulated by remote control SC-2. Function of series connection is available Quick evaporation residue to keep a safety environment. Supplied with remote control SC-1 and hanging bracket.

S-200 SILENT SNOWDROPPER

Power Cons.: 600W
 Output: 140ML/Min.
 Tank Capacity: 5L
 Weight: 12 KG
 Power: AC 120/230V, 50-60HZ